

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
25 May 2001 (25.05.2001)

PCT

(10) International Publication Number  
**WO 01/37164 A2**

(51) International Patent Classification<sup>7</sup>: **G06F 17/60**

(72) Inventors; and

(21) International Application Number: **PCT/US00/30115**

(75) Inventors/Applicants (for US only): **WALKER, Jay, S.**

(22) International Filing Date:  
2 November 2000 (02.11.2000)

[US/US]; 124 Spectacle Lane, Ridgefield, CT 06877 (US). **KIM, Peter** [US/US]; 2975 High Ridge Road, Stamford, CT 06903 (US). **JORASCH, James, A.** [US/US]; 25 Forest Street, Apt 5G, Stamford, CT 06901 (US). **MIK, Magdalena** [US/US]; 10 South Street, Greenwich, CT 06830 (US). **TEDESCO, Daniel, E.** [US/US]; 49 Kings Highway North, Westport, CT 06880 (US). **SAMMON, Russell, Pratt** [US/US]; Apartment 2K, 444 Bedford Street, Stamford, CT 06901 (US). **GOLDEN, Andrew, P.** [US/US]; Apartment 2A, 444 Bedford Street, New York, NY 10029 (US). **MUELLER, Raymond, J.** [US/US]; 89 Catbrier Road, Weston, CT 06883 (US). **BEMER, Keith** [US/US]; 517 East 75th Street, Apartment 2E, New York, NY 10021 (US). **VAN LUCHENE, Kathleen** [US/US]; Apartment 4, 17 Ferris Avenue, Norwalk, CT 06854 (US).

(25) Filing Language: English


(26) Publication Language: English

(30) Priority Data:  
60/165,435 15 November 1999 (15.11.1999) US  
09/540,035 31 March 2000 (31.03.2000) US

(71) Applicant (for all designated States except US):  
**WALKER DIGITAL, LLC** [US/US]; Five High Ridge Park, Stamford, CT 06905 (US).

[Continued on next page]

(54) Title: RETAIL SYSTEM FOR SELLING PRODUCTS BASED ON A FLEXIBLE PRODUCT DESCRIPTION



(57) Abstract: A system is provided in which a sale price is determined based on a product description, and the sale price is transmitted to a customer. The customer is not guaranteed what specific product will be sold to the customer before an agreement to purchase a product for the sale price is received from the customer. After receiving the agreement, a retailer selects a product conforming to the product description, and identifies the

[Continued on next page]

WO 01/37164 A2



(74) **Agents:** ALDERUCCI, Dean et al.; Walker Digital Corporation, Five High Ridge Park, Stamford, CT 06905 (US).

(81) **Designated States (national):** AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian

patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

product to the customer. By virtue of the above system, the retailer is able to evaluate a customer's individual demand based on the received description and to determine a sale price accordingly, thereby reducing losses associated with conventional single-price systems. Although this may result in different sale prices for an identical product, the system is perceived as fair because a higher-paying customer likely agreed to a different product description than a lower-paying customer, and neither would have agreed to the other's product description and sale price. The system also allows a retailer to mask product discounts by selecting undesirable redemption conditions under which to sell the product, such as pickup at a faraway location, even if the product is available at a closer location. As a result, the customer believes that the discount is attributable to the undesirable redemption conditions, rather than to the product quality or to decreased demand. Accordingly, price and brand dilution are minimized.

## **RETAIL SYSTEM FOR SELLING PRODUCTS BASED ON A FLEXIBLE PRODUCT DESCRIPTION**

### **CROSS-REFERENCE TO RELATED APPLICATIONS**

5           This application claims the benefit of original U.S. Application No. 60/165,435, filed November 15, 1999, for "Uniseller Internet Pricing", the content of which is incorporated by reference herein for all purposes.

          This application is a continuation-in-part of co-pending U.S. Patent Application Serial No. 08/889,503, filed July 8, 1997, for "Systems and Methods Wherein a Buyer  
10   Purchases a Product at a First Price and Acquires the Product from a Merchant that Offers the Product for Sale at a Second Price", co-pending U.S. Patent Application Serial No. 08/997,170, filed December 22, 1997, for "Conditional Purchase Offer Buyer Agency System", co-pending U.S. Patent Application Serial No. 09/220,191, filed December 23, 1998, for "Method and Apparatus for Facilitating a Transaction Between a Buyer and  
15   One Seller, co-pending U.S. Patent Application Serial No. 09/337,906, filed June 22, 1999, for "Purchasing Systems and Methods Wherein a Buyer Takes Possession at a Retailer of a Product Purchased Using a Communication Network", co-pending U.S. Application Serial No. 09/359,265, filed July 22, 1999, for "System and Method for Facilitating and Managing the Sale of Customized Travel Product Restrictions", and co-  
20   pending U.S. Patent Application Serial No. 09/338,723, filed September 2, 1999, for "Purchasing Systems and Methods Wherein a Buyer Takes Possession at a Retailer of a Product Purchased Using a Communication Network", the contents of which are incorporated by reference herein for all purposes.

### 25   **FIELD OF THE INVENTION**

          The present invention relates to systems for selling products to customers. More specifically, the present invention relates to a system for selling a product to a customer based on a flexible product description provided by the customer.

### 30   **BACKGROUND OF THE INVENTION**

          According to conventional retail pricing systems, a particular product is offered to all potential customers for a single price. Therefore, a conventional retailer endeavors to determine an "optimal" single price for a product which will generate more profit than any other single price.

Shortcomings exist even if a conventional retailer succeeds in determining an “optimal” price. Specifically, profit generated by sales at an “optimal” price will likely be less than a theoretical maximum profit, because some customers will be willing to pay more than the “optimal” price for the product. In this regard, the theoretical maximum profit is a profit resulting from charging each customer a maximum price he is willing to pay. Profit may also fall short of the theoretical maximum because no profit will be obtained from potential customers who are willing to pay more than the retailer’s cost for the product but are unwilling to pay the “optimal” price. Due to these and other shortcomings, retailers have experimented with alternative pricing systems intended to generate a profit closer to the theoretical maximum.

Individualized bargaining is one such alternative system. In individualized bargaining, a retailer or a retailer’s agent individually negotiates with each potential customer in an attempt to extract a highest price from each customer. However, associated transaction costs incurred by the retailer increase in proportion to the number of transactions. Accordingly, individualized bargaining is not desirable for retailers having more than a few customers, since the associated transaction costs would outweigh any resulting increase in profit from sales.

In view of the foregoing, what is needed is a pricing system for increasing a retailer’s profit without incurring unacceptable transaction costs.

Improvements are also needed in other types of conventional pricing systems. For instance, conventional systems for discounting prices create several problems for retailers. According to these conventional systems, a retailer reduces a price of a product from an original price to a lower, discounted price to achieve some goal, such as reducing excess inventory of the product.

As described above with respect to retail pricing, some customers who buy the product for the discounted price may have been willing to buy the product for a higher price, and the retailer therefore loses potential profit. Individualized bargaining, as also described above, can be used to reduce these effects. However, in a vast majority of situations, individualized bargaining involves unacceptable transaction costs. Individualized bargaining also fails to address other problems caused by conventional discount pricing systems, such as price dilution and brand dilution.

Generally, price dilution describes a situation in which a reduction of a product’s price decreases demand for the product at a higher price. In more detail, discounting a

price of a product causes potential customers to believe that the discounted price is the "correct" price of the product, and therefore the customers become unwilling to accept any higher price for the product. Accordingly, conventional discount pricing systems can negatively affect future profits generated by a product.

5           Conventional discount pricing systems can also lead to brand dilution. Brand dilution refers to a reduction in the prestige of a brand in the minds of consumers. In this regard, conventional publicized price discounts for a product of a particular brand tend to reduce the amount of prestige which consumers attribute to the brand. Since brand prestige, or "goodwill", is a valuable asset vigorously protected by successful  
10       manufacturers (e.g., via trademark protection), these manufacturers are reluctant to allow retailers to discount prices for their products or to advertise the discounted prices. As a result, it is difficult for retailers to reduce excess inventory of these products.

          Certain industries have attempted to address the foregoing deficiencies in  
15       conventional pricing systems. For example, the airline industry attempts to set prices for airline tickets based on speculated demand of individual customers. In this regard, each customer is categorized as a leisure traveler or a business traveler based on when a ticket is purchased. For example, a customer who buys a ticket for a flight more than twenty-one days before the flight is categorized as a leisure traveler and a customer who buys a  
20       ticket less than twenty-one days before the flight is categorized as a business traveler. Tickets for the flights are priced according to the categorization - lower prices for leisure travelers and higher prices for business travelers.

          In view of the foregoing, two customers who submit identical itineraries to a travel agent may pay vastly different prices for tickets to identical flights, if the tickets are  
25       bought at different times. Such a result is perceived as unfair by customers. Moreover, a business traveler who purchases a ticket to a flight more than twenty-one days before a flight is categorized as a leisure traveler and therefore pays much less than she is willing to pay, resulting in lost revenue to the airline providing the flight. Accordingly, airline pricing fails to adequately address the deficiencies in conventional pricing systems.

30           Accordingly, what is also needed is a system for discounting prices which reduces price dilution and brand dilution, and which is perceived as fair to customers.

SUMMARY OF THE INVENTION

In consideration of the above needs, Applicants have discovered that customer demand for a product can be approximately quantified based on a customer's specification of desired product values. Applicants have also discovered that retailers are willing to reduce prices in return for customer flexibility in sale terms. In addition, Applicants have invented a system to use these discoveries to efficiently charge different prices to different customers in order to optimize profits while being fair to customers, and to discount prices while minimizing losses, price dilution, brand dilution and perceived unfairness.

The present invention addresses the foregoing by providing, in one aspect, a system in which a sale price is determined based on a product description, and the sale price is transmitted to a customer. In addition, no specific product is identified to the customer as a particular product that will be sold to the customer before an agreement to purchase a product for the sale price is received from the customer. Accordingly, the customer is not guaranteed what specific product will be purchased before an agreement to purchase a product for the sale price is received from the customer.

It should be understood that the customer will agree to the purchase if the customer is willing to accept, in return for the sale price, any product conforming to the product description. Both the customer and retailer benefit as a result of the foregoing system. The customer can receive lower prices in exchange for flexible description parameters and may also receive discounts that would normally not be advertised to the general public for fear of price and brand dilution. The retailer is able to evaluate a customer's individual demand based on the received description and determine a sale price accordingly, thereby reducing losses associated with the single-price systems described in the background. Although the inventive system may result in the sale of a product to two different customers for two different sale prices, the system is perceived as fair by both customers because a higher-paying customer likely agreed to a less flexible product description than a lower-paying customer, and neither customer would have agreed to the other's product description and sale price. The product descriptions received from customers also allow a retailer to determine what condition values are important to customers and to purchase and price regular inventory accordingly.

In addition, the foregoing features allow a retailer to mask product discounts. For example, a retailer may wish to reduce inventory of a product by selling the product at a discounted price. To mask the discount, the retailer chooses undesirable purchase terms

under which to sell the product, such as pickup at a faraway location, even if the product is available at a closer location. As a result, the customer believes that the discount is attributable to the undesirable terms, rather than to the product quality or to decreased demand. Accordingly, price and brand dilution are minimized.

5           In other embodiments, a product description is determined based on a sale price. According to some of these embodiments, a retailer receives a first sale price from a first customer, determines a first product description based on the first sale price, and transmits the first product description to the first customer. Similarly, the retailer receives a second sale price from a second customer which is lower than the first sale price,  
10 determines a second product description based on the second sale price, and transmits the second product description to the second customer. If a product exists which conforms to both the first product description and the second product description, the retailer may sell the product to the first customer for the first sale price and to the second customer for the second sale price. Even though the two customers pay different sale prices for the same  
15 product, the two customers will likely perceive the system as fair because each is agreeing to a different product description corresponding to their sale price. In this regard, the retailer may determine and transmit a broad product description based on the lower second sale price to give the second customer an impression that the product was sold for the second sale price only because the second customer agreed to a broad product  
20 description. This latter method is intended to mask any discount reflected by the lower sale price, thereby reducing perceived unfairness and allowing a retailer to sell a product at a discounted price while minimizing price and brand dilution.

The present invention also addresses the problems discussed above by providing, in one aspect, a system in which a product description is received and a product is  
25 selected, with a sale price of a particular selected product being a first sale price if the description is a first description and being a second sale price if the description is a second description.

The foregoing aspect provides a system by which a same product may be sold to different customers for different prices. Such pricing may be desirable if a product  
30 description received from one customer indicates a greater demand for a particular product than a product description received from another customer. It should be noted that, in contrast to the airline pricing systems discussed in the background, a system according to this aspect is perceived as fair because different product descriptions are received from each customer, and because each customer would likely not have been

willing to purchase a product conforming to the other customer's description for the other customer's sale price.

5 With these and other advantages and features of the invention that will become hereinafter apparent, the nature of the invention may be more clearly understood by reference to the following detailed description of the invention, the appended claims and to the several drawings attached hereto.

#### BRIEF DESCRIPTION OF THE DRAWINGS

10 FIG. 1 is a block diagram of a retail system in accordance with one embodiment of the present invention;

FIG. 2 is a block diagram of the retail system controller of FIG. 1;

FIG. 3 is a block diagram of the customer device of FIG. 1;

FIGS. 4A and 4B illustrate sample tables of the transaction database of FIG. 2;

15 FIG. 5 illustrates a sample table of the customer database of FIG. 2;

FIGS. 6A and 6B illustrate sample tables of the flexibility database of FIG. 2;

FIGS. 7A to 7D illustrate sample tables of the product pricing database of FIG. 2;

FIG. 8 illustrates a sample table of the product description database of FIG. 2;

FIGS. 9A and 9B illustrate sample tables of the retailer database of FIG. 2;

20 FIG. 10 illustrates a sample table of the product database of FIG. 2;

FIG. 11 illustrates a sample table of the purchase terms database of FIG. 2;

FIG. 12 illustrates a sample table of a redemption database according to one embodiment of the invention;

25 FIG. 13 is a flow diagram illustrating process steps of a sales transaction according to an embodiment in which a product description is received from a customer;

FIG. 14 is a flow diagram illustrating process steps to determine a sale price based on a product description according to one embodiment of the invention;

FIG. 15 is a flow diagram illustrating process steps to determine a sale price based on a product description according to one embodiment of the invention;

30 FIG. 16 is a flow diagram illustrating process steps to select a product conforming to a product description according to one embodiment of the present invention;

FIG. 17 is a flow diagram illustrating process steps to process a product redemption according to one embodiment of the present invention;



FIG. 18 is a flow diagram illustrating process steps of a sales transaction according to an embodiment in which a sale price is received from a customer;

FIG. 19 is a flow diagram illustrating process steps to determine a product description based on a sale price according to one embodiment of the invention; and

5 FIG. 20 is a flow diagram illustrating process steps of a sales transaction according to an embodiment in which a product description and a sale price are transmitted to a customer.

FIG. 21 is a flow diagram illustrating process steps of a transaction for the sale of airline tickets according to one embodiment of the invention.

10

#### DETAILED DESCRIPTION OF THE INVENTION

To ensure clarity of the following detailed description, set forth below are definitions of terms used herein. The scope of the present invention is not to be deemed limited by the definitions.

15 Condition: a category of values which are descriptive of a product (see definition below) and/or a transaction. Examples include Manufacturer, Features, and Pickup Location.

Condition value: a specific value corresponding to a condition. Using the above examples of conditions, corresponding condition values may be "Sony", "27 in.", and  
20 "New York".

Conforming product: a specific product deemed to meet the requirements of a product description or a sale price.

Customer: any person, group of people, or other entity that patronizes a retailer (see definition below) and who purchases products from the retailer.

25 Mutually-exclusive condition: a condition, such as Manufacturer, for which a conforming product possesses only one condition value. In order for a product to conform to a product description, the product must include only one condition value for each mutually-exclusive condition in the product description. Therefore, when mutually exclusive condition values are added to a product description, a number of products  
30 conforming to the product description usually increases.

Mutually-inclusive condition: a condition, such as Features, for which a conforming product may contain more than one condition value. In order for a product to conform to a product description, the product must include each mutually-inclusive condition value in the product description. Therefore, when mutually-inclusive condition

values are added to a product description, a number of products conforming to the product description usually decreases.

Product: a specific good or service, usually identified by a make and model number. Identical products sold by a retailer may be assigned an identical product identifier such as a Uniform Product Code (“UPC”) or Stock Keeping Unit (“SKU”), while different products are usually assigned different product identifiers.

Product category: a classification of a product, or the general type of product a customer desires. Examples include Standard Television, Home Computer, and Airline Ticket.

Product description: a set of condition values that describes a product (see Product-specific condition) and may also describe a sales transaction (see Transaction-specific condition).

Product-specific condition: a condition relating to a product, e.g. Manufacturer, Features, etc. Contrast with Transaction-specific condition, defined below.

Purchase terms: Sale-related terms which are accepted by a customer. Purchase terms may comprise a product description, a sale price, and a retailer’s agreement to sell a product conforming to the product description for the sale price.

Redemption information: Information specifying a specific product to be sold and information relating to the mechanics of a sales transaction, such as payment method, pickup location, and time of redemption.

Retailer: any person, group of persons, or entity that provides the sale of products to customers. Examples include a manufacturer, an online store, a traditional “brick-and-mortar” store, a sales broker, and an online “storefront” selling products offered by traditional stores.

Retailer data: data accessible by or on behalf of a retailer which can be used to determine sale prices based on received product descriptions, product descriptions based on received sale prices, and/or whether to encourage sales of particular products. Retailer data may include sales data, inventory data, demand data or subsidy data.

Sale Price: a price for which a product is sold to a customer. A sale price according to the invention is often less than a retail price, which is a price for which a product is sold through conventional channels.

Transaction-specific condition: a condition relating to details of a sales transaction, e.g. Pickup Location, Pickup Date, Payment Method, etc.

## SYSTEM

FIG. 1 is a block diagram of a retail system in accordance with one aspect of the present invention. As shown, a retail system 100 according to embodiments of the present invention includes a retail system controller 200 that is in communication with customer devices 220, 230 and 240 through a communication network 210. The communication network 210 may be a Local Area Network or a Wide Area Network to which the controller 200 and the customer devices 220, 230 and 240 are connected. Other examples of networks usable in the present invention include a satellite-based network, a cellular network, an RF network, a telephone network, a cable television network, a bulletin-board system, or any other network for transferring data between locations. Also, even though the communication network 210 is illustrated as an intermediary between the retail system controller 200 and the customer devices 220, 230 and 240, it should be noted that direct connections may also exist between the controller 200 and the customer devices 220, 230 and 240.

In a case that communication network 210 is the World Wide Web ("Web"), the retail system controller 200 may include a Web server for receiving requests for Web pages (documents on the Web that typically include an HTML file and associated graphics and script files), for generating Web pages, and for transmitting Web pages over the Web. The Web server allows communication between the retail system controller 200 and the Web (communication network 210) in a manner known in the art.

Each of the customer devices 220, 230 and 240 may comprise computers, such as those based on the Intel® Pentium® processor, that are adapted to communicate with the controller 200 over the communication network 210. Each of the customer devices 220, 230 and 240 may also comprise a portable computer, a dedicated terminal, an Internet kiosk, a Personal Digital Assistant, a pager, a cellular phone, a pay phone, a video game console, an Automated Teller Machine, a slot machine, a watch, a vending machine, or any other device capable of receiving and transmitting data over the communication network 210. For example, in a case that the communication network 210 is the Web, each of the customer devices 220, 230 and 240 may execute a Web browser application for requesting, receiving, and reviewing Web pages. Any number of customer devices may be in communication with the communication network 210 and the controller 200.

Those skilled in the art will understand that devices in communication with each other need not be continually transmitting to each other. On the contrary, such devices

need only transmit to each other as necessary, and may actually refrain from exchanging data most of the time. For example, a device in communication with another device via the Web may not transmit data to the other device for weeks at a time.

5

## DEVICES

FIG. 2 illustrates an embodiment of the controller 200. The controller 200 may be implemented as a system controller, a dedicated hardware circuit, an appropriately programmed general purpose computer, or any other equivalent electronic, mechanical or electro-mechanical device.

10

The controller 200 of FIG. 2 comprises a processor 250, such as one or more Intel® Pentium® processors. The processor 250 is coupled to a communication port 260 through which the controller 200 communicates with other devices, such as the customer devices 220, 230 and 240, through communication network 210. The controller 200 may also communicate with locally attached devices through the communication port 260.

15

Accordingly, the communication port 260 may be adapted to communicate using protocols supported by the communication network 210 and the locally attached devices.

20

Also connected to the processor 250 are an input device 270 and a display 280. The input device 270 can be any device for inputting data, such as a keyboard, a touch screen, a mouse, a voice input device, an infrared port, or the like. The input device 270 can be used by a retailer to enter data for use by the controller 200 in accordance with the invention. Of course, data may also be input to the controller 200 by a retailer using a device connected directly to the controller 200 or to the communication network 210. The display 280 is used to display graphics and text and may be a CRT computer monitor, a flat-panel display or another display device.

25

The processor 250 is also in communication with a data storage device 290. The data storage device 290 is generally a data memory and may include any appropriate combination of magnetic, optical and/or semiconductor memory. The data storage device 290 may also include, for example, Random Access Memory (RAM), Read-Only Memory (ROM), a compact disc and/or a hard disk. Furthermore, the storage device 290 and the other elements of FIG. 2 may each be, for example: (i) located entirely within a single computer or other computing device; or (ii) connected to each other by a remote communication medium, such as a serial port cable, telephone line or radio frequency

30

transceiver. In one embodiment, the controller 200 comprises one or more computers that are connected to a remote server computer for maintaining databases.

The data storage device 290 stores a program 300 of processor-executable process steps for basic operation of the controller 200. The processor 250 executes the process steps of the program 300 and thereby operates in accordance with the present invention, and particularly in accordance with the methods described in detail herein. The program 300 may be stored in a compressed, uncompiled and/or encrypted format. The process steps of the program 300 can be stored in the storage device 290 during manufacture of the storage device 290, can be downloaded from a compact disc or other computer-readable medium, or can be retrieved from a remote or local source via the communication port 260 in the form of a signal having the process steps encoded thereon.

The data storage device 290 also stores processor-executable process steps for basic operation of the controller 200, such as the process steps of an operating system, a database management system and "device drivers" for allowing the controller 200 to interface with computer peripheral devices. These latter process steps are known to those skilled in the art, and need not be described in detail herein.

According to one embodiment of the present invention, the steps of the program 300 are transferred from the data storage device 290 into a main memory, such as a RAM, and executed therefrom by the processor 250. In alternative embodiments, hard-wired circuitry may be used in place of, or in combination with, processor-executable software process steps for implementation of the processes of the present invention. Thus, embodiments of the present invention are not limited to any specific combination of hardware and software. Moreover, steps performed in accordance with the invention may be allocated between the controller 200 and the customer devices 220, 230 and 240.

The storage device 290 also stores (i) an offer database 400, (ii) a customer database 500; (iii) a flexibility database 600, (iv) a product pricing database 700, (v) a product description database 800, (vi) a retailer data database 900, (vii) a product database 1000, (viii) a purchase terms database 1100, and (ix) a redemption database 1200. The databases 400 to 1200 are described in detail below and depicted with sample entries in the accompanying figures. In this regard, and as will be understood by those skilled in the art, the schematic illustrations and accompanying descriptions of the databases presented herein are merely intended to demonstrate operable and preferred systems for associating and storing information. A number of other data structures may be employed besides those suggested by the tables shown. For example, rather than using

database tables as described herein, the present invention may be implemented using only rules-based methods or a combination of database tables and rules-based methods.

Similarly, the illustrated entries of the databases represent sample information only; those skilled in the art will understand that the number and content of the entries can be  
5 different from those illustrated herein.

FIG. 3 illustrates several elements of the customer device 220 according to one embodiment of the invention. In this embodiment, the customer device 220 is used to input data and instructions to the retail system controller 200, and to present data from the retail system controller 200 to a customer. As shown, the customer device 220 includes a  
10 processor 221, such as an Intel® Pentium® processor or the like, connected to a communication port 222. The communication port 222 transmits data to and receives data from external devices such as a printer, scanner, or the like, and therefore supports communication protocols used by the external devices. Also connected to the processor 221 is an input device 223 for receiving data from a customer and a display 224 for  
15 presenting data to the customer. The input device 223 and the display 224 can be any of the input devices or displays discussed above.

A storage device 225 is connected to the processor 221, and stores data and processor-executable process steps for the operation of the customer device 220. For example, the storage device 225 stores data and process steps of an operating system 226  
20 which controls the operation of the customer device 220. Also stored in the storage device 225 are processor-executable process steps of a Web browser 227, which can be executed by the processor 221 to provide communication between a customer device 220 and the retail system controller 200 through the Web. Of course, depending on the nature of the connections between the customer device 220, the communication network 210,  
25 and the controller 200, other known applications or hardware may be needed for the customer device 220 to communicate with the retail system controller 200.

## DATABASES

### Offer Database

FIG. 4A illustrates a tabular representation of a portion of the offer database 400 according to one embodiment of the present invention. The offer database 400 stores data relating to offers submitted by customers to the retail system controller 200. The tabular representation includes a number of sample records each including details of an offer  
30

consisting of a customer-input product description. Those skilled in the art will understand that the database 400 may include any number of records. In the tabular representation shown, the database 400 includes fields associated with each of the records. The fields specify: (i) an offer identifier 402 that uniquely identifies a particular  
5 record; (ii) a customer identifier 404 that uniquely identifies the customer from whom a product description contained in the record was received; (iii) a Manufacturer 406 (if any) specified in the received product description; (iv) Features 408 (if any) specified in the received product description; (v) Pickup Locations 410 (if any) specified in the received  
10 product description; (vi) Product States (if any) 412 specified in the received product description; and (vii) an offer status 414 of an offer represented by the record. Usage of the data stored in the offer database 400 will be discussed in detail below.

FIG. 4B illustrates a tabular representation of the offer database 400 according to another embodiment of the present invention. In this embodiment, a customer initiates a transaction by submitting a sale price and is thereafter presented with a product  
15 description based on the sale price. The tabular representation includes several records, each of which represents a single offer and contains several fields. Specifically, each record contains the offer identifier 402, the customer identifier 404, and the status 414 as described above, as well as an offered price 416. The offered price 416 associated with a particular record is the sale price submitted by the customer to initiate the offer  
20 represented by the record. Operation of the embodiment reflected in FIG. 4B is described below in conjunction with FIGS. 18 and 19.

#### Customer Database

FIG. 5 illustrates a tabular representation of a portion of the customer database  
25 500 stored in the storage device 290. The tabular representation includes a number of sample records and fields for each of the records. The fields specify: (i) a customer identifier 502; (ii) a customer name 504; customer contact information 506; and (iv) a payment identifier 508.

For each record in the customer database 500, the customer identifier 502  
30 identifies a customer to whom data in the record correspond. In one embodiment, the customer identifier 502 serves as a link between the data in the databases used in the invention. For example, a customer identifier 404 in the offer database 400 identifies a same customer as an identical customer identifier 502 in the customer database 500.

The first name and last name of a customer are stored as the customer name 504, and contact information provided by the customer is stored as customer contact information 506. The contact information may include one or more of a street address, an e-mail address, a telephone number, a facsimile number, a pager number, or any other  
5 information using which a customer can be contacted.

The payment identifier 508 of a record includes information which can be used to charge a sale price to and/or extract payment from a customer. The tabular representation shown in FIG. 5 includes credit card numbers as example payment identifiers 508. In a case that a payment identifier 508 is used only to charge a sale price to a customer, the  
10 payment identifier 508 need not be maintained after the sale price has been charged. Accordingly, for security reasons, it may be desirable to delete the payment identifier 508 from the customer database 500 after a sale price has been charged to the customer and to substitute a payment identifier 508 such as "PAID".

#### 15        Flexibility Database

FIG. 6A illustrates a tabular representation of a portion of the flexibility database 600 according to an embodiment in which a flexibility score is determined based on a product description and a sale price is determined based on the flexibility score. Specific details of the operation of this embodiment will be described in detail below.

20        The flexibility database 600 as shown in FIG. 6A includes data grouped according to a particular product category. For each product category, conditions 610 and corresponding flexibility points 620 are stored. Generally, and as will be described below, the flexibility database 600 is used to determine a flexibility score based on condition values in a product description. For example, using the tabular representation  
25 of FIG. 6A, each Manufacturer value specified in a product description adds ten points to a flexibility score. The points are added because each additional Manufacturer value in a product description may increase a number of conforming products which can be selected by a retailer, and therefore may increase a retailer's flexibility in selecting a product to sell. On the other hand, each Feature value in a product description reduces a flexibility  
30 score by five points, since each Feature value added to a product description likely reduces a number of conforming products. More generally, positive flexibility points 620 are associated with mutually-exclusive conditions 610 and negative flexibility points 620 are associated with mutually-inclusive conditions 610. It should be noted that the flexibility database 600 may include additional conditions 610 and corresponding



flexibility points 620, as well as conditions 610 and corresponding flexibility points 620 for additional product categories.

FIG. 6B illustrates a tabular representation of a portion of the flexibility database 600 according to another embodiment of the invention. In this embodiment, a condition value 630 for a product category is associated with a number of flexibility points 640 and a weighting factor 650. A weighting factor 650 determines an effect which an associated condition value 630 has on a determined sale price. Usage of weighting factors 650 will be described below with respect to FIG. 14.

As described with respect to FIG. 6A, the data shown in FIG. 6B are used to determine a flexibility score of a product description, which in turn is used to determine a sale price. As also described, the flexibility database 600 of FIG. 6B may include additional condition values 620, flexibility points 640, and weighting factors 650 for the Standard TV product category and for additional product categories.

#### Product Pricing Database

Shown in FIG. 7A is a tabular representation of a portion of the product pricing database 700 according to one embodiment of the invention. As shown, the tabular representation includes several ranges of flexibility scores 710 and corresponding sale prices 720 for a particular product category. Since the ranges of flexibility scores 710 and corresponding sale prices 720 will likely vary across product categories, a portion of the product pricing database 700 such as that illustrated in FIG. 7A exists for each product category defined by a retailer.

The product pricing database 700 according to this embodiment is used to determine a sale price based on a product description flexibility score. For example, after reception of a product description from a customer, a flexibility score is determined using a flexibility database 600 such as that described with respect to FIGS. 6A and 6B. Next, a score range 710 including the determined flexibility score is located in a portion of the product pricing database 700 corresponding to an appropriate category, and a sale price 720 corresponding to the located score range 710 is determined to be the sale price. A detailed description of this process is set forth below.

FIG. 7B illustrates a tabular representation of a portion of the product pricing database 700 according to another embodiment of the invention. In contrast to the product pricing database 700 as represented in FIG. 7A, the FIG. 7B representation includes percentage discount data 730 corresponding to each flexibility score range 710.

For a given flexibility score of a product description, corresponding percentage discount data 730 is determined using the product pricing database 700 of FIG. 7B and is applied to a specified price in order to determine a sale price. Specifics of this embodiment are also described below. It should be noted that the product pricing database 700 of FIG. 7B  
5 may include data for additional product categories.

A representation of a portion of the product pricing database 700 according to another embodiment is shown in FIG. 7C. The FIG. 7C representation includes, for a particular product, sale prices 740 corresponding to various ranges of flexibility scores 710. Of course, the product pricing database 700 of FIG. 7C may include data for other  
10 products. Usage of the product pricing database 700 according to FIG. 7C is described below. Generally, a conforming product is selected based on a received product description, a flexibility score corresponding to the product description is calculated, and data of the product pricing database 700 of FIG. 7C which corresponds to the selected product is used to determine a sale price. Accordingly, in contrast to the embodiments  
15 reflected in FIGS. 7A and 7B, products of a same product category may be priced differently in response to a single product description.

FIG. 7D illustrates a tabular representation of a portion of the product pricing database 700 according to yet another embodiment. According to this embodiment, which is described in detail below, a product description is evaluated based on predefined  
20 requirements to determine a percentage discount. The percentage discount is then used to determine a sale price.

The tabular representation shown in FIG. 7D includes data for a specific product category. A set of related condition 750, requirement 760, and percentage discount data 770 is stored for the specific category. Generally, each condition 750 is associated with  
25 any number of requirements 760, with each requirement corresponding to a percentage discount 770. For example, according to the first record in the illustrated table, a 0% discount corresponds to a product description including only one Manufacturer value. Of course, the product pricing database 700 as shown in FIG. 7D includes additional data for the Standard TV product category and data for other product categories.

30 Although the FIG. 7A to 7D databases associated a greater flexibility with a higher flexibility score, it should be noted that a greater flexibility may be represented by a lower flexibility score. Of course, the discounts and/or prices associated with flexibility scores in the illustrated databases would be altered accordingly.

### Product Description Database

FIG. 8 shows a tabular representation of a portion of the product description database 800 according to one embodiment of the present invention. The product description database 800 is used in embodiments in which a customer inputs a sale price and is presented with a corresponding product description. The product description database 800 may include additional data to that shown in FIG. 8 and data for additional product categories.

The tabular representation includes, for a product category, several ranges of product discounts 810 and description broadening rules 820 corresponding to each range. In one contemplated use, an input sale price is compared to an average retail price of an input product category in order to calculate a percentage discount reflected by the input sale price. Description broadening rules 820 corresponding to the percentage discount are identified and used to create a product description. For example, using the data shown in FIG. 8, if the received sale price reflects a fifteen percent discount off the average retail price, a product description is created specifying two manufacturers, two guaranteed features and two pickup locations. Advantages, variations and further details of the above process will be set forth in the following discussion.

The product description database 800 may also be used to determine a sale price based on a received product description. In this regard, a rule 820 most closely fitting an input product description is identified, and a discount 810 associated with the identified rule is applied to a specified price to determine a sale price corresponding to the product description.

### Retailer Data Database

FIG. 9A illustrates a tabular representation of a portion of the retailer data database 900 according to one embodiment of the invention. The illustrated portion stores information concerning products within a single product category. The tabular representation includes several records, each comprising several fields. The fields specify: (i) a manufacturer 902; (ii) current inventory 904; (iii) forecasted current inventory 906; and (iv) a current/forecasted inventory ratio 908.

The manufacturer 902 of a record indicates a product manufacturer, the current inventory 904 represents a number of products in current inventory produced by the manufacturer, and the forecasted current inventory 906 represents a forecasted current amount of inventory produced by the manufacturer. The current/forecasted ratio 908 for

a particular record reflects the current inventory 904 of the record divided by the forecasted inventory 906, and is used in one embodiment, described in detail below, to determine weighting factors 650 of the flexibility database 600 as represented in FIG. 6B. It should be noted that additional retailer data for the Standard TV product category and for other product categories can be included in the retailer database 900.

Another tabular representation of a portion of the retailer data database 900 is illustrated in FIG. 9B. The data within the tabular representation are similar to that shown in FIG. 9A, except that instead of each record being directed to a particular manufacturer 902, each record is directed to a particular product identified by a product identifier 910. In an embodiment to be described below, current/forecasted ratios 908 of FIG. 9B are used to determine which of two conforming products should be selected by the retail system controller 200 to fill a customer-accepted offer. Of course, data for additional products may be contained in the retailer database 900 of FIG. 9B.

#### Product Database

A portion of the product database 1000 is represented in a tabular form in FIG. 10. Each record in the tabular representation represents one product, and comprises: (i) a product identifier 1002; (ii) a manufacturer 1004; (iii) features 1006; (iv) pickup locations 1008; (v) product states 1010; (vi) a minimum acceptable price 1012; and (vii) a retail price 1014.

For each record, the product identifier 1002 identifies a particular product available from a retailer. In one embodiment, the product identifier 1002 for a product is identical to a product identifier 910 used in the retailer data database 900 to identify the same product. The manufacturer 1004 identifies the manufacturer of the particular product, the features 1006 identify the features of the particular product, the pickup locations 1008 identify locations at which the product is available, and the product states 1010 identify physical states, such as new or used, in which the particular product is available. The minimum acceptable price 1012 indicates a minimum price at which the retail system controller 200 is permitted to sell the product, and the retail price 1014 specifies the price of the product when sold through conventional channels. Other types of data, as well as data for products other than those shown, may be included in the product database 1000.

### Purchase Terms Database

FIG. 11 shows a tabular representation of the purchase terms database 1100 according to one embodiment of the invention. The data shown in FIG. 11 are sample data, and are not intended to reflect a complete database 1100. The tabular representation comprises several records, each of which includes (i) a purchase terms identifier 1102; (ii) an offer identifier 1104; and (iii) generated purchase terms 1106. The purchase terms identifier 1102 identifies a particular record in the database 1100. In other embodiments, the purchase terms database 1100 also includes a product identifier identifying a product to be sold to the customer. The offer identifier 1104 identifies a particular offer initiated by a customer-input product description or price, and can be used to reference related data associated with an identical offer identifier 402 from the offer database 400.

The generated purchase terms 1106 include terms generated by the retail system controller 200 and accepted by the customer. For example, in a case that a transaction was initiated by customer input of a product description, the generated purchase terms 1106 would include a corresponding sale price generated by the controller 200. On the other hand, if the transaction was initiated by customer input of a sale price, the generated purchase terms 1106 would include a generated product description.

### Redemption Database

FIG. 12 illustrates a portion of a tabular representation of the redemption database 1200. The redemption database 1200 includes several records containing associated fields. The fields specify: (i) a redemption identifier 1202; (ii) a purchase terms identifier 1204; (iii) a product identifier 1206; (iv) redemption information 1208; and (v) a redemption status 1210. Upon receiving a redemption identifier from a customer, the controller 200 locates an identical redemption identifier 1202 in the database 1200. A purchase terms identifier 1204 associated with the redemption identifier 1202 is then used to retrieve associated data from the purchase terms database 1100 needed to validate and process a redemption of the product identified by the product identifier 1206. The redemption information 1208 specifies details of a redemption such as transaction-specific condition values under which a redemption must take place, and the redemption status 1210 indicates a status of the redemption identified by the record.

## PROCESSES

### I. Retailer Determines A Sale Price Based On A Product Description

FIG. 13 illustrates a flow diagram 1300 of process steps for an embodiment of the present invention in which a customer inputs a product description and receives a sale price in response. In an embodiment where the controller 200 performs the process steps of FIG. 13, the process steps may be embodied in hardware within the controller 200, in processor-executable process steps stored on a computer-readable medium such as the storage device 290 and executed by the processor 250, in processor-executable process steps encoded in an electronic signal received by the controller 200 and executed by the processor 250, or in any combination thereof. It should be noted that each other flow diagram of process steps described herein may be similarly embodied. In addition, the particular arrangement of elements in the flow diagram 1300, as well as the other flow diagrams discussed herein, is not meant to imply a necessary order to the steps; embodiments of the present invention can be practiced in many different orders.

The FIG. 13 process steps begin at step 1302, in which a product description is received from a customer. In one embodiment, a product category is also received with the product description. The product description is a set of condition values describing a desired product. For example, the product description "Sony", "Magnavox", "Toshiba", "Picture-in-Picture", and "New", describes both a new 27 in. Magnavox television with picture-in-picture as well as a new 35 in. Sony television with picture-in-picture, digital comb filter, V-chip, and surround sound features. It should be noted that a product description may also include limiting condition values, such as "27 in. to 35 in."

In one embodiment, a customer inputs the product description prior to step 1302. For example, a customer using the customer device 220 selects the product category Standard Television and inputs the product description "Sony", "Magnavox", "Toshiba", "Picture-in-Picture", and "New" using the input device 223 and the display 224. In this regard, the interface provided by the customer device 220 for input of the product description may present retailer-defined conditions for which values are selected by the customer using well-known graphical user interface elements such as pull-down menus, check boxes, or radio buttons. Text-entry boxes may also be provided for customer entry of condition values. The product description may be input in any number of other ways depending on the nature of the customer device 220, such as by using voice recognition or character recognition, or from a computer-readable medium storing a product description. In another embodiment, the customer device 220 presents the customer with several

product descriptions, and the customer inputs a product description prior to step 1302 by selecting one of the presented product descriptions. It should be noted that the customer device 220 used to input the product description may be located within a store operated by a retailer.

5           Returning to step 1302, the condition values of the received product description are stored in appropriate fields of the offer database 400 along with an offer identifier 402 generated to identify the present offer and a customer identifier 404 which identifies the customer. Also stored in association with the product description is a status 414 of "Pending System".

10           In step 1304, a sale price is determined based on the received product description. Several systems for determining the sale price are discussed below with respect to FIG. 14 and FIG. 15; these systems primarily use data stored in the flexibility database 600, the product pricing database 700, and the retailer data database 900. After the sale price is determined, the sale price is transmitted to the customer in step 1306. Accordingly, the  
15           associated status 414 is updated to "Pending Customer" to reflect that the system is awaiting acceptance or rejection of the sale price.

          In one embodiment, the sale price is transmitted from the retail system controller 200 over the communication network 210 and back to the customer device 220 from which the product description was received in step 1302. After reception of the sale  
20           price, the customer device 220 displays the sale price to the customer using the display 224. Of course, in a case that the customer device 220 does not have a display 224, the sale price is communicated to the customer in some other manner, such as through a speaker or a printout. The sale price may also be transmitted to the customer in step 1306 using other known methods.

25           In another embodiment, the sale price transmitted in step 1306 is specified in terms of a discount amount, such as "25% off the retail price of the selected product", or "\$50 off the retail price of the selected product".

          Transmitted along with the sale price are other purchase terms which facilitate formation of a binding agreement between the customer and the retailer. The other  
30           purchase terms include, in one embodiment, the received product description and an offer from the retailer to sell a product conforming to the product description for the sale price. However, the controller 200 does not transmit, in step 1306, and before an agreement to purchase a product for the sale price is received, any information to the customer identifying a particular product to be sold to the customer upon completion of the

transaction. The customer is also not guaranteed, before an agreement to purchase a product for the sale price is received, what specific product will be purchased. By avoiding transmission of this information, a retailer is provided with flexibility in selecting a product to sell after the customer is bound to the agreement. However, in  
5 another embodiment, specific details of two or more particular products are transmitted to the customer in step 1306 along with an indication that an unspecified one of the particular products will be sold to the customer upon receiving an agreement from the customer. This embodiment also provides the retailer with some flexibility in selecting a product to sell after the customer is bound.

10 It should be noted that a particular product conforming to the product description may or may not be selected prior to step 1306.

After step 1306, it is determined in step 1308 whether or not the customer agrees to the sale price. In one embodiment, the customer is required to select an "I Agree" symbol displayed on the display 224 and the selection is transmitted to the retail system  
15 controller 200 via the communication network 210. Of course, other known systems for communicating an agreement can be used in step 1308. The customer may also be required to provide customer and payment information, such as a credit card number, so that the retailer is ensured of payment. The customer and payment information are stored in the customer database 500 along with an associated customer identifier 502. In other  
20 embodiments, the customer and payment information are received with the product description in step 1302, and a credit check/pre-authorization for the sale price is performed prior to transmission of the sale price in step 1306.

If it is determined in step 1308 that the customer does not agree to the sale price, the process steps of FIG. 13 terminate. In some embodiments, the customer can edit the  
25 product description rather than agree to the sale price, or the retail system controller 200 can suggest changes to the product description which would reduce the sale price. Once it is determined that the customer agrees to the sale price, flow continues to step 1310.

In step 1310, a product is selected that conforms to the product description. One system for such selection is described below in conjunction with FIG. 16. After the  
30 conforming product is selected in step 1310, redemption information is transmitted to the customer in step 1312. In one embodiment, the redemption information includes specific details identifying the selected product and selected transaction-specific details such as pickup location and redemption time. The transaction-specific details may be selected so as to mask a discount reflected in the sale price, as will be described in detail with



reference to FIG. 16. In another embodiment, the customer is not presented with information identifying the selected product until the product is redeemed. In this regard, the product may not even be selected until the customer attempts to redeem the product. The latter arrangement provides retailers with significant flexibility in choosing a product to sell and retailers may therefore significantly discount products redeemed in this manner.

The redemption information may be transmitted via the communication network 210 used to receive the product description or by another communication network. In a case that the product will be picked up by the customer at a retail location, also transmitted in step 1312 is a redemption identifier embodied in a paper voucher, a personal identification code, a frequent shopper card, or other record of purchase details. Similarly to step 1205, step 1312 may also be performed once a customer arrives at a retail location to pick up a product.

A product redemption is processed in step 1314. In one embodiment, a product redemption involves receiving a redemption identifier from a customer and presenting the customer with a corresponding product identified in the redemption database 1200. The retailer presented with the redemption identifier need not be in communication with the retail system controller 200. In this regard, the presented redemption identifier may represent, perhaps in encoded form, all the information needed for the redemption, such as the information shown in the redemption database 1200. In addition, there may be no need to process a product redemption in a case that the selected product is shipped to the customer. Details of product redemption will be discussed with respect to FIG. 17.

It should be noted that the foregoing process steps do not describe each embodiment of the invention. For example, a conforming product may be selected any time after a product description is received. In another embodiment, a customer is presented with suggestions to change a product description after the product description is received, in a case that no conforming product is available or for other reasons. Moreover, a sale price and alternative product descriptions may be transmitted in step 1306. The alternative product descriptions may be similar to the received product description but with different condition values. In this embodiment, it would be determined in step 1308 whether the customer agreed to the sale price and to what product description the customer agreed.

The customer and the retailer benefit as a result of the FIG. 13 process steps. Specifically, the customer can receive lower prices by providing flexible description

parameters and may receive discounts that would not be given to the general public for fear of price and brand dilution. The retailer is able to evaluate a customer's individual demand based on the received description and determine a sale price accordingly, thereby reducing losses associated with conventional retail pricing systems. In embodiments  
5 where the retailer does not select the product to sell until well after the customer agreement, the retailer further benefits by being able to optimize the ordering of inventory based on outstanding offers. Although the process steps may result in a single product being sold for different sale prices, the system is perceived as fair because a higher-paying customer likely agreed to a different product description than a lower-paying  
10 customer, and neither would have agreed to the other's product description and sale price. The product descriptions received from customers also allow a retailer to determine what features are important to customers and to purchase and price inventory accordingly.

FIG. 14 illustrates a flow diagram 1400 of process steps which may be used in  
15 step 1304 of FIG. 13 to determine a sale price based on a received product description. The process steps begin at step 1402, in which a number of flexibility points is determined for each condition value in the received product description. The number of flexibility points is determined using the flexibility database 600 as represented in FIG. 6A. In operation, a condition value in the description is determined to correspond to a  
20 number of flexibility points 620 associated with the corresponding condition in the flexibility database 600. Next, in step 1404, the flexibility points corresponding to each condition value are summed to determine a flexibility score.

As an example of steps 1402 and 1404, a case is considered in which a flexibility score is determined for the product description "Sony", "Magnavox", "Toshiba", "V-  
25 chip", "stereo sound", and "Picture-in-Picture". According to the database 600 as represented in FIG. 6A, the condition values "Sony", "Magnavox" and "Toshiba" are determined to correspond to +10 flexibility points each, and the remaining feature values are determined to correspond to -5 flexibility points each. Accordingly, the flexibility score corresponding to the product description is fifteen ( $10+10+10-5-5-5 = 15$ ).

30 According to another embodiment, steps 1402 and 1404 are performed using data shown in the flexibility database 600 of FIG. 6B. Flexibility scores are determined using the flexibility database 600 of FIG. 6B by multiplying, for each condition value 630, a corresponding number of flexibility points 640 with a corresponding weighting factor 650. Using the previous product description, the condition values "Sony", "Magnavox",

“Toshiba”, “V-chip”, “stereo sound”, and “Picture-in-Picture” would correspond to flexibility points  $(+10 \times 5) = +50$ ,  $(+10 \times 0.5) = +5$ ,  $(+10 \times 1) = +10$ ,  $(-5 \times 1) = -5$ ,  $(-5 \times 4) = -20$  and  $(-5 \times 3) = -15$ , respectively. Accordingly, a flexibility score of  $50 + 5 + 10 - 5 - 20 - 15 = 25$  would be determined in step 1302.

5 As described above, a weighting factor 650 of the flexibility database 600 may reflect the desirability of a corresponding condition value in view of retailer data. For example, if a ratio 908 of current inventory 904 of a manufacturer 902 to forecasted inventory 906 of the manufacturer 902 in the retailer database 900 is 5, the retailer may wish to price the manufacturer’s products so as to increase sales thereof. Accordingly, 10 the retailer would like to associate a high flexibility score with received product descriptions including the desired manufacturer as a condition value. Therefore, a corresponding weighting factor 650 in the flexibility database 600 of FIG. 6B is set to 5. On the other hand, a current/forecasted ratio 908 of .5 indicates that a second manufacturer’s products are selling better than expected. Since the retailer would likely 15 prefer to continue selling these products without a discount, inclusion of the second manufacturer in a product description does not significantly increase the flexibility available to the retailer in selecting a product to sell. As a result, the weighting corresponding to the second manufacturer is set to .5 in the database 600 of FIG. 6B.

The embodiment of the flexibility database 600 illustrated in FIG. 6B thereby 20 allows retailer data such as inventory, sales, demand and subsidies to be used in creating a flexibility score which more accurately reflects a flexibility and a desirability of a particular description. For example, manufacturers of certain products may offer subsidies to a retailer to promote sales of the products. Therefore, condition values 630 representing the subsidized products are associated with relatively large weighting factors 25 650 so that a product description to which a subsidized product conforms will likely produce a high flexibility score.

In one embodiment, weighting factors 650 are generated for each condition value in each product category, either manually or using ratios as shown in FIGS. 9A and 9B. It should also be noted that other retailer data can be used in determining weighting 30 factors 650 corresponding to particular condition values, such as current sales v. forecasted sales, current sales lower than current demand, and current inventory higher than historical inventory. Moreover, the weighting factors 650 can be updated periodically or in “real time” by triggering off of changes made to the retailer data.

Returning to the flow diagram 1400, a sale price is determined in step 1406 based on the flexibility score by using the product pricing database 700. In the embodiment of the database 700 represented in FIG. 7A, the previously-determined flexibility score of 25 corresponds to a sale price of \$250. The corresponding sale prices 720 shown in FIG. 7A can be derived in many ways. The prices 720 may be based on a range of previously-offered discount prices of products within the product category, on a range of percentage discounts off an average retail price of products in the category, on incremental price steps between the lowest and highest retail prices in the product category, or on any other data. It should be noted that the sale prices 720 in the product pricing database 700 are not necessarily related to a product which will be eventually sold to the customer.

Using the FIG. 7B embodiment of the database 700, the flexibility score of 25 corresponds to a 20% discount, and the sale price is determined in step 1406 by applying the percentage discount 730 to a retail price corresponding to the product category. The retail price to which the discount 730 is applied may be a retail price of a product already selected for sale to the customer, a retail price of another conforming product, an average retail price of conforming products, or another price. Again, the retail price is not necessarily related to the product which will be eventually sold to the customer.

In a case that a conforming product for sale is selected prior to determination of a sale price, data shown in FIG. 7C are used to determine the sale price in step 1406. As shown, the data associate a flexibility score 710 with a sale price 740 for a particular product. For example, in a case that product P-1000 was selected and a flexibility score of 25 was determined prior to step 1406, a sale price of \$250 is determined using the data of FIG. 7C.

It should be noted that the databases 600, 700 as shown in FIG. 6A to FIG. 7B may be organized by specific product rather than by product category. In this case, a product is selected prior to step 1304 and entries of the databases 600, 700 corresponding to the selected product are used as described above to determine the sale price in step 1406.

FIG. 15 illustrates a flow diagram 1500 of process steps to determine a sale price based on a product description (step 1304) according to another embodiment of the invention. The process begins at step 1502, in which the retail system controller 200 determines a number of condition values specified in the product description for each condition. Next, in step 1504, a discount is determined for each condition using the

product pricing database 700 as illustrated in FIG. 7D. Specifically, for each condition 750, an appropriate requirement 760 is identified and a percentage discount 770 associated with the requirement is determined. For example, in a case that a product description includes three manufacturer values and two features, percentage discounts of 10% and 5% are determined in step 1504.

In step 1506, a cumulative discount corresponding to the product description is calculated by summing the determined percentage discounts. In the previous example, the cumulative discount is 15%. Next, in step 1508, the sale price is determined by discounting a particular retail price by the cumulative discount. The particular retail price may be a retail price of a specific conforming product, an average retail price of the subject product category, or any other price.

It should be noted that the percentage discounts 770 stored in the product pricing database 700 of FIG. 7D may be condition value-specific as described with respect to FIG. 6B. In this case, the requirements 770 would include particular condition values, and discounts, either weighted or unweighted, would be associated with each value. As also described with respect to FIGS. 6A to 7B, the product pricing database 700 of FIG. 7D may be organized by specific product rather than by product category. In this case, a product is selected prior to step 1304 and entries of the database 700 corresponding to the selected product are used as described above to determine the sale price in step 1508.

In another embodiment of step 1304, the retail system controller 200 stores product descriptions and associated sale prices. Accordingly, in this embodiment, a stored product description most similar to the received product description is identified and a sale price is determined to be equal to a sale price associated with the stored product description. Still other methods for determining a sale price based on a product description will be apparent to those of ordinary skill in the art.

FIG. 16 illustrates a detailed flow diagram 1600 of process steps to select a product that conforms to a product description according to step 1310 of FIG. 13. Initially, at step 1602, the product database 1000 is searched to identify products which conform to the product description received in step 1302. When searching the database 1000, it is not necessary to consider products having a minimum acceptable price 1012 greater than the sale price determined in step 1304.

In step 1604, a product to sell is selected from the identified conforming products. In one embodiment, transaction-specific condition values conforming to the product

description are also selected in step 1604. The selection of a product and of condition values can be based on many different factors. For example, a product may be selected that optimizes profit, inventory, sales, demand, subsidies, or any other variable. In this regard, a product having excess inventory may be selected for sale even though the  
5 determined sale price reflects a substantial discount off the retail price.

A retailer may be more likely to sell a product at a discount in a case that the received product description includes an undesirable transaction-specific condition value, such as pickup at an inconvenient location, because the undesirable value can be used to mask the discount. In other words, although the product may be available at a more  
10 convenient location, the retailer can select to sell the product at the inconvenient location specified in the product description. The customer will therefore tend to feel like the discount was earned, and other customers paying more for the product but picking up the product at a convenient location will feel fairly treated. Moreover, price and brand dilution can be minimized because the discount will be attributed to the details of the  
15 transaction rather than to the product.

Many other transaction-specific conditions can be used to justify and/or mask a product discount, such as Time of Redemption and Product State. The Time of Redemption condition specifies a time period during which the customer is willing to wait before redeeming the product. In a case that a customer has specified a Time of  
20 Redemption value such as three months, the retail system controller 200 can use the customer's willingness to wait for the product as an apparent reason for offering a large price discount. Moreover, the retailer may be willing to discount a price of a product in exchange for future demand guaranteed by the three month condition value, because the retailer will be able to reorder inventory tailored to the future demand or to select a  
25 particular product in step 1310 that hasn't sold well through conventional channels.

The Product State condition may have values such as "new", "used", "refurbished", "demo", or the like. These values are useful because a retailer may want to discount a non-new product to dispose of products that aren't selling and that cannot be returned to the manufacturer. The non-new condition values may also be used to justify a  
30 discount in an attempt to minimize price dilution, brand dilution, and perceived unfairness.

A retailer may have other reasons for selecting a particular product and particular transaction-specific condition values. For example, if a new or remote pickup location is specified in a product description along with other locations, a retailer may choose to

select a product to be picked up at the specified location simply to increase customer traffic at the new or remote location.

In step 1606, the purchase terms database 1100 is updated. The database 1100 is updated by creating a purchase terms identifier 1102 corresponding to the current offer  
5 identifier 1104 and by storing the generated purchase terms 1106 in conjunction with the created purchase terms identifier 1102. Next, in step 1608, the redemption database 1200 is updated by generating a redemption identifier 1202 and associating the purchase terms identifier 1204, a product identifier 1206 identifying the selected product (if any), and any transaction-specific redemption information 1208 therewith. Also associated therewith is  
10 a redemption status 1210.

FIG. 17 illustrates a flow diagram 1700 of process steps to process a customer redemption of the selected product according to one embodiment of step 1314 of FIG. 13. The process begins at step 1702, wherein a redemption identifier is received from the  
15 customer. The redemption identifier may be embodied in a voucher, a personal identification code, or the like transmitted to the customer in step 1312. The redemption may occur at a retail store or, in a case that the product will be shipped to the customer, may be initiated by transmission of the redemption identifier from a customer device 220 to the retail system controller 200. In a case that redemption information 1208 associated  
20 with a record indicates that a redemption must occur at a future time, a retailer may send a reminder to an associated customer that the future time is approaching.

In step 1704, the redemption is analyzed to validate whether all requirements for the transaction are satisfied. According to one embodiment of step 1704, the received redemption identifier is used to locate a corresponding record in the redemption database  
25 1200 and, specifically, to locate redemption information 1208 associated with the redemption identifier. The current redemption is then analyzed in step 1704 to determine whether the current redemption satisfies the details of the redemption information 1208. For example, it is determined in step 1704 whether the customer is picking up the product at the location and time specified in the redemption information 1208, if any. In other  
30 embodiments, the received redemption identifier encodes redemption information such as the redemption information 1208 and the redemption identifier is decoded to retrieve the information used in step 1704.

It is then determined, in step 1706, whether a payment has been received from the customer. In one embodiment, this determination is made by referring to the redemption

status 1210 of the corresponding record in the redemption database 1200. If payment has not been received from the customer, flow proceeds from step 1706 to step 1708 to receive payment from the customer. The payment may be in any form acceptable to the retailer, such as cash, check, credit card, debit card, or the like. In a case that the redemption is not conducted in-person, it may be easiest to receive payment by credit card. In some embodiments, payment is guaranteed with payment information in conjunction with customer acceptance of a received sale price. In this regard, the customer may be charged a penalty if he does not attempt redemption.

If the payment has been received, the customer is presented, in step 1710, with the product identified by the product identifier 1206 of the corresponding record. If the corresponding record does not include a product identifier 1206, the product is also selected in step 1710. The presentation may include handing the product to the customer or shipping the product to the customer. In this regard, the product may be a software-based product which is shipped to the customer by encoding the product in an electrical signal and sending the signal to a customer device 220 over the communication network 210 using an appropriate transmission protocol.

## II. Retailer Determines A Product Description Based On A Sale Price

FIG. 18 illustrates a flow diagram 1800 of process steps of a sales transaction according to another embodiment of the present invention. Generally, the process steps differ from those illustrated in FIG. 13 in that a sale price is received from a customer and a product description is determined based on the sale price.

In more detail, a sale price is received from a customer at step 1802. The sale price may be received in any known manner, including those specified above with respect to step 1302 of FIG. 13. In alternative embodiments, the sale price received in step 1802 is in the form of a range of sale prices, a percentage discount off a retail price, or a discount amount off a retail price. A product category may also be received along with the sale price. For example, the data "\$200" and "Standard Television" may be received in step 1802. The received sale price may also be specified in terms of a discount, such as "\$10 less than retail price" or "20% off retail price", or a range of values, such as "\$400 to \$425". In one embodiment, the received sale price is stored in the offered price field 416 of the offer database 400 in association with an offer identifier 402 created to represent the current offer.



Next, in step 1804, a product description is determined based on the received sale price. In one embodiment, a database may be used which contains, for each product category, several ranges of sale prices and a product description corresponding to each range. In this embodiment, step 1804 is performed simply by identifying the range of prices in which the received sale price falls and obtaining the corresponding product description. In a variation of this embodiment, several descriptions may correspond to each range of sale prices.

In another embodiment, the product description database 800 is used in step 1804 to identify a rule 802 corresponding to the received sale price. A product description is created based on the corresponding rule 802, with the condition values of the product description identifying related or similar values. For example, if the rule 802 calls for three manufacturers, three low-end or three high-end manufacturers may be included in the created product description. Details of another embodiment of step 1804 will be described in conjunction with FIG. 19.

After step 1804, the product description is transmitted to a customer in step 1806. The transmission can be performed using one of the methods discussed with respect to step 1306, or using other known methods. In one embodiment, the product description is transmitted with purchase terms which, along with a customer's agreement to the product description, creates a binding contract to purchase a product. The purchase terms may include the received sale price, the product description, and an offer from the retailer to sell a product conforming to the product description for the sale price. In another embodiment, the controller 200 does not transmit, in step 1806, any information to the customer identifying a particular product to be sold to the customer before an agreement to purchase a product conforming to the product description is received. The controller 200 also does not guarantee to the customer, before an agreement to purchase a product conforming to the product description is received, what specific product will be purchased. By avoiding transmission of this information, a retailer is provided with flexibility in selecting a product to sell after the customer is bound to the sale.

Alternatively, two or more particular products are identified to the customer in step 1806 along with an indication that an unspecified one of the particular products will be sold to the customer upon receiving an agreement from the customer. This embodiment also provides the retailer with some flexibility in selecting a product to sell after the customer is bound.

Next, in step 1808, it is determined whether the customer agrees to purchase a product conforming to the product description for the sale price. Similar mechanisms to those described in conjunction with step 1308 can be used to determine whether the customer has made such an agreement. If the customer does not agree, the FIG. 18 process steps terminate. The customer may have an opportunity to resubmit the sale price in hopes of receiving another product description, or the customer may have the option of submitting a new sale price. If the customer agrees, flow proceeds to step 1810. Steps 1810 to 1814 proceed similarly to steps 1310 to 1314 and detailed descriptions thereof are omitted for the sake of brevity.

According to the FIG. 18 process steps, the retailer may sell a same product to two customers for two different sale prices. However, the two customers will likely perceive the system as fair because each is agreeing to a different sale price and product description. In addition, the retailer may determine a broad product description based on the lower sale price to give an impression that the lower sale price is available only because the lower-paying customer agrees to a broad product description. This method masks any discount reflected in the lower sale price, reduces perceived unfairness and allows a retailer to sell a product at a discounted price while minimizing price and brand dilution.

FIG. 19 illustrates a flow diagram 1900 of process steps according to one embodiment of step 1804. The process steps can be used to determine a product description based on a received sale price.

First, products which conform to the sale price received in step 1802 are identified by referring to the minimum acceptable prices 1012 of the product database 1000.

Specifically, for each product of a product category received in step 1802, an associated minimum acceptable price 1012 is compared with the received sale price. The products having an associated minimum acceptable price 1012 less than the received sale price are identified as conforming products in step 1902. For example, if the received sale price is \$300, products P-1000 and P-1002 of FIG. 10 are identified as conforming products.

In step 1904, products for which discounts are preferred are selected from the identified conforming products. In one embodiment, only those conforming products that are selling more slowly than forecasted are selected in step 1904. These slow-selling products can be identified from the retailer database 900 as those having a current/forecasted ratio 908 of less than unity. In the present example, the product having

an identifier 910 P-1000 is selected as a product for which discounts are preferred. It should be noted that more than one product may be selected in step 1904.

Of course, other methods may be used and other retailer data considered when selecting preferred products to discount in step 1904. For example, it may be preferable to determine a desired price for each identified conforming product and to select only those products for which the desired price is less than the received sale price.

In step 1906, a product description is created which covers the products selected in step 1904. In one embodiment, the created product description includes all mutually-exclusive condition values present in each selected product. In addition, the product description includes only those mutually-inclusive conditions present in all selected products. Using these guidelines and the data representing product identifiers 1002 P-1000 and P-1002 in the product database 1000, a product description is created including the mutually-exclusive condition values "Magnavox", "Toshiba", "Stamford", "Hartford", "Teaneck", "New", and "Refurbished", and the mutually-inclusive condition value "Picture-in-Picture".

In step 1908, the created product description is broadened in order to mask any discount which may result from the sale of a product at the sale price. In general, the description is broadened by removing condition values for mutually-inclusive conditions and by adding condition values for mutually-exclusive conditions. By broadening the product description, any discount will appear to be due to the customer's willingness to accept the uncertainty presented by a flexible product description.

In one embodiment of step 1908, the description is broadened based on a percentage discount off a retail price reflected by the sale price. The retail price may be a retail price of a particular product to be sold to the customer, in a case that the particular product has been selected, an average retail price of the products selected in step 1802, or another retail price. As shown in the FIG. 8 representation of the product description database 800, ranges of percentage discounts 810 and associated description broadening rules 820 are established for a product category. In operation, a percentage discount is calculated, a corresponding range 810 is located in the product description database 800, and description broadening rules 820 associated with the range are identified. It is then ensured that the description created in step 1804 is at least as broad as specified in the identified rules. If not, condition values are added (for mutually-exclusive conditions) and/or removed (for mutually-inclusive conditions).

In another embodiment of step 1908, the product description database 800 is organized by product rather than by product category. Accordingly, a product is selected to sell prior to step 1908, a percentage discount reflected by the sale price is calculated, and data in the database 800 corresponding to the product is accessed to identify  
5 appropriate description broadening rules 820 corresponding to the percentage discount 810.

The description may also be broadened in step 1908 to include mutually-exclusive condition values normally possessed by expensive products in order to encourage the customer to agree to the product description. On the other hand, the product description  
10 may be broadened to describe lower-quality items in order to give a customer agreeing to the product description a pleasant surprise when the customer learns that the product to be purchased is a better-quality product.

### III. Retailer Transmits Product Description And Sale Price

15 FIG. 20 illustrates a flow diagram 2000 of process steps of a sales transaction according to yet another embodiment of the invention. The process steps are used to determine a product description and a sale price and to transmit the product description and the sale price to a customer.

Specifically, a product description and a sale price are determined in step 2002. In  
20 one embodiment, step 2002 occurs in response to customer input of a product category. The product description may be determined in step 2002 based on a manual entry or using an automated analysis of retailer data, with the sale price being determined based on the product description using any of the methods described above. Alternatively, the sale price can be determined based on a manual entry or using an automated analysis, with the  
25 product description being determined based on the sale price as described above or by using other methods.

Next, in step 2004, the product description and sale price are transmitted to a customer device 220 from which the product description and sale price can be presented to customers. For example, the product description and the sale price may be transmitted  
30 to a publicly-located kiosk or ATM machine, where they can be presented to customers approaching the kiosk or ATM machine for information or banking services. Alternatively, a retail store can include such kiosks for display of information and special deals to browsing customers. In addition, the product description and the sale price may be transmitted to electronic price tags and presented to customers thereby.

In one embodiment, the product description and the sale price are transmitted along with information to facilitate formation of a binding agreement between the customer and the retailer. The information may include the product description, the sale price and an offer from the retailer to sell a product conforming to the product description for the sale price. It is contemplated to avoid transmitting, before receiving an agreement to purchase a product conforming to the product description for the sale price, any information to the customer identifying a particular product to be sold to the customer upon completion of the transaction. It is also contemplated to avoid guaranteeing to the customer, before receiving an agreement to purchase a product conforming to the product description for the sale price, what specific product will be purchased. By avoiding transmission of this information, a retailer is provided with flexibility in selecting a product to sell after the sale is secured. In another embodiment, specific details of two or more particular products are also transmitted to the customer in step 2004 along with an indication that an unspecified one of the particular products will be sold to the customer upon receiving an agreement from the customer. This embodiment also provides the retailer with some flexibility in selecting a product to sell after a sale is secured.

Thereafter, in step 2006, it is determined whether a customer has agreed to purchase a product conforming to the product description for the sale price. The customer can indicate agreement in any known manner, including using the customer device 220 from which the sale price and the product description were presented to the customer. Steps 2008, 2010 and 2012 proceed similarly to steps 1310, 1312 and 1314 of FIG. 13, respectively, and descriptions of these steps are therefore omitted for the sake of brevity.

#### IV. Airline Ticket Embodiment

FIG. 21 illustrates a flow diagram 2100 of process steps to sell an airline ticket according to one embodiment of the present invention. The process steps begin at step 2102, in which a product description describing a desired air travel itinerary is received from a customer. The description may be submitted using any of the methods described with respect to step 1302. The description may include one or more condition values corresponding to the conditions Departure City, Departure Date, Departure Time, Arrival City, Arrival Date, Arrival Time, Airline, Class, or the like. In one embodiment, the condition values are specified in terms of a range, such as a Departure Time condition value of "1:00pm to 4:00pm".

In step 2104, the retail system controller 200 determines a sale price corresponding to the product description. The sale price may be determined based on any of the methods discussed with respect to step 1304, or using other methods. The sale price is then transmitted to the customer in step 2106. In one embodiment, also  
5 transmitted in step 2106 is an agreement from the retailer to sell, for the sale price, an airline ticket for flights which conform to the product description.

Next, in step 2108, an agreement is received from the customer to purchase an airline ticket for flights conforming to the product description for the sale price. In one embodiment, the controller 200 does not transmit, before an agreement to purchase an  
10 airline ticket for the sale price is received, any information to the customer identifying a particular flight on which the purchased airline ticket will allow the customer to travel. The customer is also not guaranteed, before an agreement to purchase an airline ticket for the sale price is received, to what specific flight or flights the airline ticket corresponds. By avoiding transmission of this information, a retailer is provided with flexibility in  
15 selecting an airline ticket to sell after the customer is bound to the agreement. However, in another embodiment, specific details of two or more particular flights are transmitted to the customer in step 2108 along with an indication that the airline ticket that will be sold will allow the customer to travel on an unspecified one or more of the particular flights. This embodiment also provides the retailer with some flexibility in selecting a ticket to  
20 sell after the customer is bound.

An airline ticket for flights conforming to the product description is selected in step 2110. In one embodiment, the selection of the airline ticket and flights is delayed so as to give the retailer an opportunity to determine what flights will not sell out and to bind the customer to those low-demand flights. After step 2110, the identity of the selected  
25 flights is transmitted to the customer in step 2112.

It should be noted that the airline ticket may be selected at any time after the product description is received in step 2102. It should also be noted that the alternative arrangements discussed in sections I. to III. may be incorporated, where appropriate, to the steps of FIG. 21.

30

### ADDITIONAL EMBODIMENTS

The following are several examples which illustrate additional embodiments of the present invention. These examples do not constitute a definition of all possible embodiments, and those skilled in the art will understand that the present invention is

applicable to many other embodiments. Further, although the following examples are briefly described for clarity, those skilled in the art will understand how to make any changes, if necessary, to the above-described embodiments to accommodate these and other embodiments and applications.

5           According to an additional embodiment, a customer-input product description includes condition values weighted or ranked in order of preference. The condition values may be weighted by assignment of a dollar amount to each condition value, or by using "slider" bars of a graphical user interface to indicate an amount of preference. The condition values in such a product description therefore do not reflect absolute  
10 requirements of a conforming product, but guidelines for selecting a product. Accordingly, such a product description provides significant flexibility to a retailer in selecting a product to sell. The retailer may be willing to provide a deep discount in exchange for this flexibility.

          In another embodiment, the customer is bound to the transaction for a specified  
15 period but the retailer is not. Accordingly, once the customer has accepted a sale price/product description, the retailer can choose to sell a conforming product to a customer at any time within the specified period. The retailer may also choose not to sell a product to the customer during the specified period, based on inventory, demand from other buyers, competitors' prices, or other factors. Again, the retailer may be willing to  
20 offer a substantial discount in exchange for the flexibility provided by such an arrangement.

          As mentioned above, the present invention advantageously allows a retailer to collect data regarding condition values desired by customers. Therefore, in one embodiment, the retailer system controller 200 includes an optimization program that  
25 orders or reorders inventory tailored to the collected data. Such a program could, for example, identify the most-commonly desired condition values and order products which conform to those condition values. In identifying the most-commonly desired condition values, the optimization program can give more weight to the condition values of received product descriptions which result in a sale, as opposed to condition values of  
30 received product descriptions which do not result in a sale.

          The collected data may also be used to determine a perceived value of various condition values. The perceived values may be used in cases where the retailer cannot satisfy a received product condition by replacing unsatisfiable condition values with satisfiable condition values having similar perceived values.

The retail system controller 200 may also include a list of preferred products to sell. In a case that a listed product conforms to a received product description, a retailer may be willing to transmit a discounted sale price. On the other hand, if no listed products conform to the received product description, the retailer may transmit suggested  
5 changes to the product description so as to persuade the customer to submit a product description to which a listed product conforms.

In another embodiment, the retail system controller 200 considers the transaction history of a customer from whom a product description/sale price was received during determination of a sale price/product description based on the received description/price.  
10 For example, a first-time customer may be presented with a substantial discount or a narrow product description in order to retain the customer. The retail system controller 200 may also consider other customer activities during determination of a sale price/product description. In this regard, a customer may "earn" additional flexibility points, price discounts or a narrower product description by filling out a survey or by  
15 providing additional product descriptions during the sales transaction. For example, a first customer who submits a product description and agrees to complete a survey receives a lower sale price than a second customer who submits an identical product description and does not agree to complete the survey. The lower sale price may be determined by using a more favorable flexibility database 600 and/or product pricing  
20 database 700 for the first customer than the second customer. Similarly, a first customer who submits a sale price and agrees to complete a survey receives a narrower product description than a second customer who submits an identical sale price and does not agree to complete the survey. This latter scenario may be implemented by using a more favorable product description database 800 for the first customer.

25 In responding to reception of a product description from a customer, the retailer may present alternatives which foresee the customer's response. For example, the retailer may present a customer with a low price and a product description which conforms closely, but not exactly, to the received product description, with a high price and a product description having more desirable mutually-inclusive condition values than the  
30 received product description, and, with the received product description, a price between the high price and the low price. Such an approach increases a likelihood that an agreement will be reached, and provides the retailer with an opportunity to move undesirable products or to generate greater profit. This approach may also be incorporated into embodiments in which a sale price is received from a customer.



While the present invention has been described above with respect to several embodiments, the scope of the invention is not deemed limited to the above embodiments. Rather, the present invention covers all embodiments falling within the  
5 scope and spirit of the following claims as well as equivalent arrangements thereof.

What is claimed is:

1. A method for use in a sales transaction, comprising:  
determining a sale price based on a product description; and  
selecting a product to be sold for the sale price,  
wherein the sale price of the selected product is a first price if the product  
5 description is a first product description and a second price if the product description is a  
second product description.
2. A method according to Claim 1, further comprising receiving the product  
description from a customer.
3. A method according to Claim 1, wherein the step of determining the sale price  
comprises:  
identifying a plurality of products conforming to the product description; and  
determining the sale price based on respective sale prices of the plurality of  
5 products.
4. A method according to Claim 1, wherein the step of determining the sale price  
comprises:  
determining a measure of flexibility based on the product description; and  
determining the sale price based on the measure of flexibility.
5. A method according to Claim 4, wherein the step of determining the measure  
of flexibility comprises:  
determining a number of flexibility points for each condition value in the product  
description; and  
5 summing the determined flexibility points.
6. A method according to Claim 5, wherein the number of flexibility points  
determined for a condition value is determined based on retailer data.
7. A method according to Claim 1, wherein the step of determining the sale price  
comprises:

calculating a discount amount based on the product description; and  
determining the sale price based on the discount amount.

8. A method according to Claim 7, wherein the step of calculating the discount amount comprises:

determining a discount amount for each condition value in the product description; and

5 summing the determined discount amounts.

9. A method according to Claim 8, wherein the discount amount determined for a condition value is based on retailer data.

10. A method according to Claim 7, wherein the discount amount is a percentage discount.

11. A method according to Claim 7, wherein the discount amount is an amount of currency.

12. A method according to Claim 7, wherein the step of determining the sale price further comprises:

applying the discount amount to an average retail price.

13. A method according to Claim 1, wherein the product description includes condition values ranked in order of customer preference.

14. A method according to Claim 1, wherein the step of determining a sale price is based on a customer transaction history.

15. A method according to Claim 1, wherein the step of determining a sale price is based on a customer activity.

16. A method according to Claim 1, wherein the step of determining a sale price comprises:

- identifying, based on the product description, a rule from a plurality of rules associating sale prices with product descriptions; and
- 5 determining a sale price based on the identified rule.

17. A method for use in a sales transaction, comprising:  
determining a sale price based on a product description; and  
transmitting the sale price to a customer,  
wherein the customer is not guaranteed what specific product will be purchased
- 5 before an agreement to purchase a product for the sale price is received from the customer.

18. A method according to Claim 17, wherein the specific product conforms to the product description.

19. A method according to Claim 17, further comprising receiving the product description from the customer.

20. A method according to Claim 19, further comprising:  
receiving a plurality of product descriptions; and  
ordering products based on the plurality of product descriptions.

21. A method according to Claim 20, wherein the products are ordered based only on the received product descriptions which result in a sale.

22. A method according to Claim 17, further comprising transmitting information identifying a plurality of products conforming to the product description before the agreement to purchase a product for the sale price is received from the customer.

23. A method according to Claim 17, further comprising:  
transmitting a redemption identifier to the customer.

24. A method according to Claim 23, further comprising:  
receiving the redemption identifier from the customer; and

selecting a specific product to sell to the customer based on the redemption identifier.

25. A method for use in a sales transaction, comprising:  
determining a sale price based on a product description;  
receiving from a customer an agreement to purchase a product for the sale price;  
and  
5 after the receiving step, selecting a particular product to be sold to the customer from among a plurality of different products conforming to the product description.

26. A method according to Claim 25, wherein the agreement is an agreement to purchase any product conforming to the product description.

27. A method comprising:  
receiving a product description from a customer, the product description including condition values describing a product desired by a customer;  
determining a sale price based on the received product description;  
5 transmitting the sale price to the customer;  
receiving from the customer an agreement to purchase a product conforming to the product description for the sale price;  
selecting a specific product conforming to the product description; and  
transmitting redemption information to the customer, the redemption information  
10 identifying the specific product,  
wherein the customer is not guaranteed what specific product will be purchased before the agreement is received.

28. A method for selling an airline ticket, comprising:  
receiving a description of a desired air travel itinerary;  
determining a sale price based on the description;  
receiving an agreement from a customer to purchase an airline ticket for the sale  
5 price; and  
after receiving the agreement, selecting a flight on which the airline ticket will allow the customer to travel.

29. Computer-executable process steps stored on a computer-readable medium, the process steps comprising:

a determining step to determine a sale price based on a product description; and  
a selecting step to select a product to be sold for the sale price,

5                    wherein the sale price of the selected product is a first price if the product description is a first product description and a second price if the product description is a second product description.

30. Computer-executable process steps stored on a computer-readable medium, the process steps comprising:

a determining step to determine a sale price based on a product description; and  
a transmitting step to transmit the sale price to a customer,

5                    wherein the customer is not guaranteed what specific product will be purchased before an agreement to purchase a product for the sale price is received from the customer.

31. Computer-executable process steps stored on a computer-readable medium, the process steps comprising:

a determining step to determine a sale price based on a product description;

a receiving step to receive from a customer an agreement to purchase a product for  
5 the sale price; and

after the receiving step, a selecting step to select a particular product to be sold to the customer from among a plurality of different products conforming to the product description.

32. Computer-executable process steps stored on a computer-readable medium, the process steps comprising:

a receiving step to receive a product description from a customer, the product description including condition values describing a product desired by a customer;

5                    a determining step to determine a sale price based on the received product description;

a transmitting step to transmit the sale price to the customer;

a receiving step to receive from the customer an agreement to purchase a product conforming to the product description for the sale price;

- 10           a selecting step to select a specific product conforming to the product description;  
and  
          a transmitting step to transmit redemption information to the customer, the  
redemption information identifying the specific product,  
          wherein the customer is not guaranteed what specific product will be  
15   purchased before the agreement is received.

33. Computer-executable process steps stored on a computer-readable medium,  
the process steps comprising:

- a receiving step to receive a description of a desired air travel itinerary;  
          a determining step to determine a sale price based on the description;  
5       a receiving step to receive an agreement from a customer to purchase an airline  
ticket for the sale price; and  
          after receiving the agreement, a selecting step to select a flight on which  
the airline ticket will allow the customer to travel.

34. Computer-executable process steps encoded in a computer-readable signal,  
the process steps comprising:

- a determining step to determine a sale price based on a product description; and  
          a selecting step to select a product to be sold for the sale price,  
5       wherein the sale price of the selected product is a first price if the product  
description is a first product description and a second price if the product description is a  
second product description.

35. Computer-executable process steps encoded in a computer-readable signal,  
the process steps comprising:

- a determining step to determine a sale price based on a product description; and  
          a transmitting step to transmit the sale price to a customer,  
5       wherein the customer is not guaranteed what specific product will be purchased  
before an agreement to purchase a product for the sale price is received from the  
customer.

36. Computer-executable process steps encoded in a computer-readable signal,  
the process steps comprising:

- a determining step to determine a sale price based on a product description;
- a receiving step to receive from a customer an agreement to purchase a product for
- 5 the sale price; and
- after the receiving step, a selecting step to select a particular product to be sold to the customer from among a plurality of different products conforming to the product description.

37. Computer-executable process steps encoded in a computer-readable signal, the process steps comprising:

- a receiving step to receive a product description from a customer, the product description including condition values describing a product desired by a customer;
- 5 a determining step to determine a sale price based on the received product description;
- a transmitting step to transmit the sale price to the customer;
- a receiving step to receive from the customer an agreement to purchase a product conforming to the product description for the sale price;
- 10 a selecting step to select a specific product conforming to the product description; and
- a transmitting step to transmit redemption information to the customer, the redemption information identifying the specific product,
- wherein the customer is not guaranteed what specific product will be
- 15 purchased before the agreement is received.

38. Computer-executable process steps encoded in a computer-readable signal, the process steps comprising:

- a receiving step to receive a description of a desired air travel itinerary;
- a determining step to determine a sale price based on the description;
- 5 a receiving step to receive an agreement from a customer to purchase an airline ticket for the sale price; and
- after receiving the agreement, a selecting step to select a flight on which the airline ticket will allow the customer to travel.

39. An apparatus comprising:

- a processor; and



a memory in communication with the processor and storing processor-executable process steps;

5 wherein the processor is operative with the processor-executable process steps stored in the memory to:

i) receive a product description from a customer, the product description including condition values describing a product desired by a customer;

ii) determine a sale price based on the received product description;

10 iii) transmit the sale price to the customer;

iv) receive from the customer an agreement to purchase a product conforming to the product description for the sale price;

v) select a specific product conforming to the product description; and

vi) transmit redemption information to the customer, the  
15 redemption information identifying the specific product, wherein the customer is not guaranteed what specific product will be purchased before the agreement is received.

40. An apparatus comprising:

a processor; and

a memory in communication with the processor and storing processor-executable process steps;

5 wherein the processor is operative with the processor-executable process steps stored in the memory to:

i) receive a description of a desired air travel itinerary;

ii) determine a sale price based on the description;

10 iii) a receiving step to receive an agreement from a customer to purchase an airline ticket for the sale price; and

iv) after receiving the agreement, a selecting step to select a flight on which the airline ticket will allow the customer to travel.

41. An apparatus comprising:

means for establishing a sale price based on a product description; and

means for identifying a product to be sold for the sale price,

5 wherein the sale price of the selected product is a first price if the product description is a first product description and a second price if the product description is a second product description.

42. An apparatus comprising:  
means for establishing a sale price based on a product description; and  
means for delivering the sale price to a customer,  
wherein the customer is not guaranteed what specific product will be purchased  
5 before an agreement to purchase a product for the sale price is received from the  
customer.

43. An apparatus comprising:  
means for establishing a sale price based on a product description;  
means for obtaining from a customer an agreement to purchase a product for the  
sale price; and  
5 means for identifying a particular product to be sold to the customer from among a  
plurality of different products conforming to the product description after obtaining the  
agreement.

44. An apparatus comprising:  
means for obtaining a product description from a customer, the product  
description including condition values describing a product desired by a customer;  
means for establishing a sale price based on the received product description;  
5 means for delivering the sale price to the customer;  
means for obtaining from the customer an agreement to purchase a product  
conforming to the product description for the sale price;  
means for identifying a specific product conforming to the product description;  
and  
10 means for delivering redemption information to the customer, the redemption  
information identifying the specific product,  
wherein the customer is not guaranteed what specific product will be  
purchased before the agreement is received.

45. An apparatus comprising:  
means for obtaining a description of a desired air travel itinerary;  
means for establishing a sale price based on the description;

- means for obtaining an agreement from a customer to purchase an airline ticket
- 5 for the sale price; and
- means for identifying a flight on which the airline ticket will allow the customer to travel after obtaining the agreement.




FIG. 1




FIG. 2




FIG. 3

400



OFFER IDENTIFIER 402	CUSTOMER IDENTIFIER 404	MANUFACTURERS 406	FEATURES 408	PICKUP LOCATIONS 410	PRODUCT STATES 412	OFFER STATUS 414
T-101555	C-4321333	SONY, MAGNAVOX, OR TOSHIBA	PIP	STAMFORD OR HARTFORD	NEW	PENDING SYSTEM
T-333010	C-9876555	SONY	30" SCREEN, AND PIP	NEW YORK	NEW OR FLOOR MODEL	ACCEPTED BY CUSTOMER
T-654321	C-1234567	MAGNAVOX	PIP	TEANECK	NEW	REDEEMED
T-999876	C-8777665	ANY	UNIVERSAL REMOTE, AND V-CHIP	BOSTON	NEW OR USED	DENIED BY CUSTOMER
T-753642	C-6123234	TOSHIBA	UNIVERSAL REMOTE, AND V-CHIP	PROVIDENCE	NEW	PENDING CUSTOMER

FIG. 4A

400



OFFER IDENTIFIER <u>402</u>	CUSTOMER IDENTIFIER <u>404</u>	OFFER STATUS <u>414</u>	OFFERED PRICE <u>416</u>
T-101556	C-3334321	PENDING CUSTOMER	\$200
T-100333	C-6789555	ACCEPTED BY CUSTOMER	\$150
T-654123	C-7654321	REDEEMED	\$10 LESS THAN RETAIL
T-876999	C-5888777	DENIED BY CUSTOMER	20% OFF RETAIL
T-642753	C-8234123	PENDING SYSTEM	\$400 to \$425

FIG. 4B



500



CUSTOMER IDENTIFIER 502	CUSTOMER NAME 504	CUSTOMER CONTACT INFORMATION 506	PAYMENT IDENTIFIER 508
C-4321333	JANE DOE	170 CENTER ST. NOWHERE, CA 90210	CC-4444-3333- 2222-1111
C-1234222	CLIFFORD BROWNIE	CBROWNIE@ ADDRESS.COM	CC-5555-4444- 3333-2222
C-6789555	MILES DAVIE	(555) 222-1221	CC-6666-5555- 4444-3333
C-1234567	ELIE PAUL	1 SMART WAY NY, NY 10023	PAID
C-5888777	STINGFORD FALL	2 CEDAR LANE STAMFORD, CT 06900	CC-7777-6666- 5555-4444

FIG. 5


600



PRODUCT CATEGORY: STANDARD TV	
CONDITION <u>610</u>	FLEXIBILITY POINTS <u>620</u>
MANUFACTURER	+10 EACH
FEATURE	-5 EACH
PICKUP LOCATION	+10 EACH
PRODUCT STATE	+15 EACH

FIG. 6A

600



PRODUCT CATEGORY: STANDARD TV		
CONDITION VALUE 630	FLEXIBILITY POINTS 640	WEIGHTING FACTOR 650
SONY	+10	5
MAGNAVOX	+10	0.5
TOSHIBA	+10	1
STEREO SOUND	-5	4
V-CHIP	-5	1
PIP	-5	3
STAMFORD	+10	2
HARTFORD	+10	3
NEW	+15	1
FLOOR MODEL	+15	4

FIG. 6B

9/27

700



PRODUCT CATEGORY: STANDARD TV	
FLEXIBILITY SCORE <u>710</u>	SALE PRICE <u>720</u>
61-80	\$150
41-60	\$200
21-40	\$250
0-20	\$300
-15-0	\$400

FIG. 7A

700



PRODUCT CATEGORY: STANDARD TV	
FLEXIBILITY SCORE <u>710</u>	% DISCOUNT <u>730</u>
61-80	30%
41-60	25%
21-40	20%
0-20	15%
-15-0	10%

FIG. 7B

700  
↙

FLEXIBILITY SCORE 710	SALE PRICE FOR PRODUCT P-100 740
61-80	\$150
41-60	\$200
21-40	\$250
0-20	\$300
-15-0	\$350

FIG. 7C

700



PRODUCT CATEGORY: STANDARD TV		
CONDITION <u>750</u>	REQUIREMENT <u>760</u>	% DISCOUNT <u>770</u>
MANUFACTURER	1 VALUE	0%
	2 VALUES	5%
	3 VALUES	10%
FEATURE	1 VALUE	10%
	2 VALUES	5%
	3 OR MORE VALUES	0%
PICKUP LOCATION	1 VALUE	0%
	MORE THAN 1 VALUE	5%
STATE OF PRODUCT	1 VALUE	0%
	MORE THAN 1 VALUE	5%

FIG. 7D

800

PRODUCT CATEGORY: STANDARD TV	
% DISCOUNT 810	DESCRIPTION BROADENING RULES 820
0-10%	1 MANUFACTURER 3 GUARANTEED FEATURES 1 PICKUP LOCATION
11-20%	2 MANUFACTURERS 2 GUARANTEED FEATURES 2 PICKUP LOCATION
21-30%	3 MANUFACTURERS 1 GUARANTEED FEATURE 2 PICKUP LOCATIONS
30% OR MORE	5 MANUFACTURERS 1 GUARANTEED FEATURE 5 PICKUP LOCATIONS 2 STATES OF PRODUCT

FIG. 8



900



PRODUCT CATEGORY: STANDARD TV			
MANUFACTURER <u>902</u>	CURRENT INVENTORY <u>904</u>	FORECASTED CURRENT INVENTORY <u>906</u>	CURRENT/ FORECASTED <u>908</u>
SONY	50 UNITS	10 UNITS	5.0
MAGNAVOX	20 UNITS	40 UNITS	0.5
TOSHIBA	20 UNITS	20 UNITS	1.0

FIG. 9A

900



PRODUCT IDENTIFIER <u>910</u>	CURRENT SALES <u>904</u>	FORECASTED CURRENT SALES <u>906</u>	CURRENT/ FORECASTED <u>908</u>
P-1000	14 UNITS	16 UNITS	0.875
P-1002	25 UNITS	20 UNITS	1.25

FIG. 9B

1000

PRODUCT CATEGORY: STANDARD TV						
PRODUCT IDENTIFIER 1002	MANU-FACTURER 1004	FEATURES 1006	PICKUP LOCATIONS 1008	PRODUCT STATES 1010	MINIMUM ACCEPTABLE PRICE 1012	RETAIL PRICE 1014
P-1000	MAGNAVOX	PIP	STAMFORD, TEANECK	NEW	\$150	\$266
P-1001	SONY	29", PIP, V-CHIP, 181 CHANNEL	MILTON, PROVIDENCE	NEW	\$450	\$300
P-1002	TOSHIBA	PIP	HARTFORD	NEW, REFURBISHED	\$200	\$350

FIG. 10

1100

PURCHASE TERMS IDENTIFIER 1102	OFFER IDENTIFIER 1104	GENERATED PURCHASE TERMS 1106
PT-777333	T-101555	\$200
PT-555121	T-555101	SONY 31"
PT-333555	T-654321	\$250

FIG. 11

1200

REDEMPTION IDENTIFIER 1202	PURCHASE TERMS IDENTIFIER 1204	PRODUCT IDENTIFIER 1206	REDEMPTION STATUS 1210	REDEMPTION INFORMATION 1208
R-333444	PT-777333	---	AWAITING PAYMENT	PICKUP IN 3 MONTHS AT STAMFORD
R-401201	PT-333555	P-1000	PENDING CUSTOMER PICKUP	PICKUP NOW ANY LOCATION

FIG. 12




FIG. 13




FIG. 14




FIG. 15






FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21

REVISED VERSION

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
25 May 2001 (25.05.2001)

PCT

(10) International Publication Number  
**WO 01/37164 A2**

(51) International Patent Classification<sup>7</sup>: **G06F 17/60**

(US). VAN LUCHENE, Kathleen [US/US]: Apartment 4,  
17 Ferris Avenue, Norwalk, CT 06854 (US).

(21) International Application Number: **PCT/US00/30115**

(74) Agents: **ALDERUCCI, Dean et al.**; Walker Digital Corporation, Five High Ridge Park, Stamford, CT 06905 (US).

(22) International Filing Date:  
2 November 2000 (02.11.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/165,435 15 November 1999 (15.11.1999) US  
09/540,035 31 March 2000 (31.03.2000) US

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*):  
**WALKER DIGITAL, LLC** [US/US]: Five High Ridge Park, Stamford, CT 06905 (US).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **WALKER, Jay, S.** [US/US]; 124 Spectacle Lane, Ridgefield, CT 06877 (US). **KIM, Peter** [US/US]; 2975 High Ridge Road, Stamford, CT 06903 (US). **JORASCH, James, A.** [US/US]; 25 Forest Street, Apt 5G, Stamford, CT 06901 (US). **MIK, Magdalena** [US/US]; 10 South Street, Greenwich, CT 06830 (US). **TEDESCO, Daniel, E.** [US/US]; 49 Kings Highway North, Westport, CT 06880 (US). **SAMMON, Russell, Pratt** [US/US]; Apartment 2K, 444 Bedford Street, Stamford, CT 06901 (US). **GOLDEN, Andrew, P.** [US/US]; Apartment 2A, 444 Bedford Street, New York, NY 10029 (US). **MUELLER, Raymond, J.** [US/US]; 89 Cathbrier Road, Weston, CT 06883 (US). **BEMER, Keith** [US/US]; 517 East 75th Street, Apartment 2E, New York, NY 10021

Published:

— with declaration under Article 17(2)(a); without abstract;  
title not checked by the International Searching Authority

(48) Date of publication of this revised version:

1 November 2001

(15) Information about Correction:

see PCT Gazette No. 44/2001 of 1 November 2001, Section II

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: **RETAIL SYSTEM FOR SELLING PRODUCTS BASED ON A FLEXIBLE PRODUCT DESCRIPTION**

(57) Abstract:

WO 01/37164 A2

# PATENT COOPERATION TREATY

# PCT

## DECLARATION OF NON-ESTABLISHMENT OF INTERNATIONAL SEARCH REPORT

(PCT Article 17(2)(a), Rules 13ter.1(c) and Rule 39)


Applicant's or agent's file reference <b>99-063W0</b>	<b>IMPORTANT DECLARATION</b>	Date of mailing (day/month/year) <b>16/07/2001</b>
International application No. <b>PCT/US 00/ 30115</b>	International filing date (day/month/year) <b>02/11/2000</b>	(Earliest) Priority date (day/month/year) <b>15/11/1999</b>
International Patent Classification (IPC) or both national classification and IPC <b>G06F17/60</b>		
Applicant <b>WALKER DIGITAL, LLC et al.</b>		

This International Searching Authority hereby declares, according to Article 17(2)(a), that **no international search report will be established** on the international application for the reasons indicated below

1. ☐ The subject matter of the international application relates to:
  - a. ☐ scientific theories.
  - b. ☐ mathematical theories
  - c. ☐ plant varieties.
  - d. ☐ animal varieties.
  - e. ☐ essentially biological processes for the production of plants and animals, other than microbiological processes and the products of such processes.
  - f. ☐ schemes, rules or methods of doing business.
  - g. ☐ schemes, rules or methods of performing purely mental acts.
  - h. ☐ schemes, rules or methods of playing games.
  - i. ☐ methods for treatment of the human body by surgery or therapy.
  - j. ☐ methods for treatment of the animal body by surgery or therapy.
  - k. ☐ diagnostic methods practised on the human or animal body.
  - l. ☐ mere presentations of information.
  - m. ☐ computer programs for which this International Searching Authority is not equipped to search prior art.
2. ☒ The failure of the following parts of the international application to comply with prescribed requirements prevents a meaningful search from being carried out:
 

☐ the description
☒ the claims
☐ the drawings
3. ☐ The failure of the nucleotide and/or amino acid sequence listing to comply with the standard provided for in Annex C of the Administrative Instructions prevents a meaningful search from being carried out:
 

☐ the written form has not been furnished or does not comply with the standard.  
☐ the computer readable form has not been furnished or does not comply with the standard.
4. Further comments: see further information sheet

Name and mailing address of the International Searching Authority  European Patent Office, P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer  <b>Roger Thomas</b>
--	---



## FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 203

The claims relate to subject matter for which no search is required according to Rule 39 PCT. Given that the claims are formulated in terms of such subject matter or merely specify commonplace features relating to its technological implementation, the search examiner could not establish any technical problem which might potentially have required an inventive step to overcome. Hence it was not possible to carry out a meaningful search into the state of the art (Art. 17(2)(a)(i) and (ii) PCT).

The applicant's attention is drawn to the fact that claims relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure. If the application proceeds into the regional phase before the EPO, the applicant is reminded that a search may be carried out during examination before the EPO (see EPO Guideline C-VI, 8.5), should the problems which led to the Article 17(2) declaration be overcome.

**This Page Blank (uspto)**